

64611 HLX 50W 12V 40/CS 1/SKU



Características del producto

- Precise filament alignment with patented quartz pinch technology
- OSRAM HLX lamps provide 10% higher luminous efficacy over standard halogen
- Instant on and nearly constant luminous flux over the life of the lamp
- Dimmable

Áreas de aplicación

- Microscopy
- Laboratory & Analysis
- UV curing
- Fiber Illumination
- Surgical & Dental Overhead
- Club & Disco

Datos técnicos

Información general del producto

NAED5 [AGGR]	54608
Description [AGGR]	64611 HLX 50W 12V 40/CS 1/SKU
Family Brand Name [AGGR]	XENOPHOT (HLX)
Application	Projector
Product Remark (US) [CRM]	- s (Operating Position) = Vertical, base down

Datos eléctricos

Nominal Wattage [AGGR]	50 W
Nominal Voltage [AGGR]	12 V
Type of Current [CRM]	AC

Datos técnicos de iluminación

Lumens [AGGR]	1350 lm
Color Rendering Index [AGGR]	100
Average Rated Life [AGGR]	100 h


Physical attributes

Base (OSI designation) [AGGR]	G6.35
Maximum Overall Length - MOL (in) [CRM]	1.716 in
Maximum Overall Length - MOL (mm) [CRM]	44 mm
Length l (in) [CRM]	1.716 in
Length l (mm) [CRM]	44 mm
Diameter d (in) [CRM]	0.472 in
Diameter d (mm) [CRM]	12.00 mm
Distance a (in) [CRM]	1.170 in
Distance a (mm) [CRM]	30 mm
Filament Dimensions Length (in) [CRM]	0.0620 in
Filament Dimensions Length (mm) [CRM]	1.6 mm
Filament Dimensions Width (in) [CRM]	0.129 in
Filament Dimensions Width (mm) [CRM]	3.3 mm

Datos adicionales del producto

Operating Position [CRM]	s 90
Lamp Type [AGGR]	SINGLE END

Hoja de datos de producto



Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Peso bruto
54608	4008321107091	Estuche de cartón (SKU)	1	1 in x 0.9 in x 2.8 in	
54608	4008321107107	Embalaje de envío (Case)	40	5.9 in x 4.4 in x 4.6 in	0.8 lb

El código del producto mencionado describe la unidad más pequeña de la cantidad que se puede pedir. Una unidad de envío puede contener uno o más productos individuales. Al cursar un pedido, introduzca la cantidad de la unidad de envío o su múltiple.

Aviso

OSRAM does not accept liability for errors, changes and omissions.