

64615 HLX EFN 75W 12V 20/CS 1/SKU



Características del producto

- Precise filament alignment with patented quartz pinch technology
- OSRAM HLX lamps provide 10% higher luminous efficacy over standard halogen
- Instant on and nearly constant luminous flux over the life of the lamp
- Dimmable

Áreas de aplicación

- Microscopy
- Laboratory & Analysis
- UV curing
- Fiber Illumination
- Surgical & Dental Overhead
- Club & Disco

Datos técnicos

Información general del producto

NAED5 [AGGR]	54126
Description [AGGR]	64615 HLX EFN 75W 12V 20/CS 1/SKU
Family Brand Name [AGGR]	XENOPHOT (HLX)
Application	Projector - 8mm
LIF Code [CRM]	A1/230
Product Remark (US) [CRM]	- p (Operating Position) = Horizontal

Datos eléctricos

Nominal Wattage [AGGR]	75 W
Nominal Voltage [AGGR]	12 V
Type of Current [CRM]	AC

Datos técnicos de iluminación

Working Distance a (in) [CRM]	1.260 in
Working Distance a (mm) [CRM]	32 mm
Average Rated Life [AGGR]	50 h


Physical attributes

Base (OSI designation) [AGGR]	GZ6.35 BIPIN
Bulb Shape [AGGR]	MR16
Maximum Overall Length - MOL (in) [CRM]	1.653 in
Maximum Overall Length - MOL (mm) [CRM]	42 mm
Length l (in) [CRM]	1.653 in
Length l (mm) [CRM]	42 mm
Length l max. (in) [CRM]	1.653 in
Length l max. (mm) [CRM]	42 mm
Diameter d (in) [CRM]	2.008 in
Diameter d (mm) [CRM]	51.00 mm
Filament [CRM]	C-8

Datos adicionales del producto

Operating Position [CRM]	p 90/15
--------------------------	---------

Hoja de datos de producto



Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Peso bruto
54126	4050300006796	Estuche de cartón (SKU)	1	1.8 in x 1.8 in x 2.3 in	0.1 lb
54126	4050300665528	Embalaje de envío (Case)	20	9.4 in x 4.1 in x 4.8 in	1.7 lb

El código del producto mencionado describe la unidad más pequeña de la cantidad que se puede pedir. Una unidad de envío puede contener uno o más productos individuales. Al cursar un pedido, introduzca la cantidad de la unidad de envío o su múltiple.

Aviso

OSRAM does not accept liability for errors, changes and omissions.