

ROADSIGHT PRO 30

ROADsight PRO 30



Full HD 1296p Resolution at 30fps

Provides crystal-clear, highdefinition video with smooth motion, ensuring every detail of your drive is captured with exceptional clarity, enhancing safety and security on the road



Wide-angle 140° field of vision

Offers a wide-angle perspective, capturing more of the road and surroundings in each frame. This enhances your situational awareness and provides comprehensive coverage for a feeling of increased safety and security while driving



Includes rear camera for comprehensive front and rear recording

Provides complete coverage of your vehicle's surroundings, helping to capture all incidents for enhanced safety and peace of mind



Lockable Micro SD card slot

Prevents tampering and keeps dash cam footage safe



Superior Dashcam with rear view camera with a clear view of every detail

The OSRAM ROADsight PRO 30 Front and Rear Dash Camera 1296p stands out as our highest tier product due to its comprehensive set of advanced features and superior performance, capturing front and rear footage. It captures high-definition video at 1296p resolution and 30fps, ensuring every detail is recorded with exceptional clarity. The 3" IPS screen provides a clear and vibrant display for easy review of footage and navigation of settings. With a 140° field of view, it offers a wide-angle perspective, capturing more of the road and surroundings for enhanced situational awareness. The rear camera offers 120° field of vision.

This dashcam is suitable for both standard and commercial vehicles, thanks to its 12/24V compatibility. The plug and play connection via 12V simplifies installation, allowing quick setup without complex wiring. It supports up to 128GB SD cards, offering ample storage capacity for extended recording sessions. The G-sensor automatically saves files in the event of a collision, ensuring critical footage is preserved. Parking mode records video for up to 30 seconds when parked.

The HDR function enhances image quality under high contrast conditions, ensuring clear footage in varying lighting. The built-in microphone and speaker enable audio recording and playback, adding another layer of detail to your recordings. GPS tracks vehicle location and speed, providing valuable data in case of an incident. The trim installation tool facilitates a neat and professional installation, while the USB-C connection ensures fast and reliable data transfer. The 3M adhesive fitting provides a secure and easy mounting solution.

These features collectively make the OSRAM ROADsight PRO 30 Dash Camera a premium choice for those seeking the best in dashcam technology and performance. Its advanced technology, versatility, ease of use, and comprehensive coverage ensure top-tier performance on the road.

Lockable Micro SD card slot prevents tampering and keeps dash cam footage safe

Datos técnicos

	Información medioambiental y regulatoria Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)		
Descripción del producto	Lista de candidatos Sustancia 1	Instrucción de uso seguro	N° de declaración en la base de datos SCIP
ROADSIGHT PRO 30	Lead	La identificación de la sustancia de la lista de sustancias candidatas es suficiente para permitir el uso seguro del artículo.	En trabajo

Descarga datos

	Fichero
<u>Z</u>	User instruction ROADsight PRO 20, ROADsight PRO 30
7	User instruction ROADsight PRO 20 / PRO 30
<u>Z</u>	User instruction GPRS_Instrucciones símbolos de seguridad

Aviso legal

For precise conditions please refer to: www.osram.com/am-guaranteePlease note: The use of dashcams may be subject to specific legal regulations, particularly with regard to data protection and personal rights. As regulations across Europe are not harmonized, there are varying rules regarding the admissibility of video recordings. Before using the device for the first time, whether domestically or abroad, we recommend familiarizing yourself with the applicable legal requirements in the respective country.

Consejos de aplicación

Para más información detallada sobre la aplicación y gráficos vea la hoja de datos del producto.

Aviso

Sujeto a cambios sin aviso. Excepto errores y omisiones. Asegúrese de utilizar la emisión más reciente.